



**Forming Systems, Inc.**  
P.O. Box 694  
Schoolcraft, MI 49087 USA

Phone: 877-727- FORM (3676)  
269-679-3557 (International)  
Fax: 269-679-3567  
Email: [info@formingsystemsinc.com](mailto:info@formingsystemsinc.com)



# Wire Pay Off Systems

## HR SERIES



HR 75



HR 105



HR 505



HR 1005

### FEATURES


- Suitable for both wire and strip.
- Adjustable speed control (stepless).
- Pay off reel will detect and stop the machine, when wire tangle, break, or run out.
- Running time can be pre-set by a built in working time clock.
- Fitted with an emergency stop and buzzer alarm.
- An optional auto speed control device to prevent wire turning out is available.
- Mechanical and electrical systems conform to CE standards.

### OPTIONAL ACCESSORIES

ACCESSORIES	SYMBOL	BENEFIT
Auto speed control	S	Smooth and even material flow
Synchronized device	D	Meet high speed feed request
Fine wire device	F	Good for wire below 0.3mm dia.


# HR SERIES Wire Pay Off Systems

## AUTO SPEED CONTROL DEVICE (OPTIONAL)




SPEED ADJUSTED KNOB  
FOR REGULAR PAY OFF  
HR75, HR105, HR205

AUTO SPEED CONTROL DEVICE  
FOR HR505S, HR1005S, HR1505S



AUTO SPEED CONTROL DEVICE  
FOR HR75S, HR105S, HR205S



### SPECIFICATION

MODEL	MAX LOAD OF MATERIAL	MAX SPEED OF TABLE	DIA. OF TABLE	REFERENCE MAX WIRE DIA.	DIMENSIONS (LxWxH)	WEIGHT
HR75	70KGS (150LBS)	100 RPM	Ø650mm (Ø25")	Ø2.0mm (Ø.080")	600x600x900mm (24"x24"x35")	60KGS (130LBS)
HR105	100KGS (220LBS)	90 RPM	Ø800mm (Ø32")	Ø3.0mm (Ø.120")	800x800x900mm (31"x31"x35")	100KGS (220LBS)
HR205	200KGS (440LBS)	100 RPM	Ø1050mm (Ø41")	Ø4.0mm (Ø.160")	1200x1000x900mm (47"x39"x35")	130KGS (280LBS)
HR505	500KGS (1100LBS)	60 RPM	Ø1050mm (Ø41")	Ø5.0mm (0.200")	1300x1000x500mm (51"x39"x20")	220KGS (480LBS)
HR1005	1000KGS (2200LBS)	60 RPM	Ø1050mm (Ø41")	Ø6.0mm (Ø.240")	1500x1000x500mm (59"x39"x20")	300KGS (660LBS)
HR1505	1500KGS (3300LBS)	45 RPM	Ø1500mm (Ø59")	Ø8.0mm (Ø.315")	2400x1500x830mm (94"x59"x33")	600KGS (1320LBS)