




**Forming Systems, Inc.**  
P.O. Box 694  
Schoolcraft, MI 49087 USA


Phone: 877-727- FORM (3676)  
269-679-3557 (International)  
Fax: 269-679-3567  
Email: [info@formingsystemsinc.com](mailto:info@formingsystemsinc.com)



# Spring Length Gage SLG10



DISTRIBUTION CHARTING



HISTOGRAM

## FEATURES

- None contact temperature compensating probe.
- Easy to read LCD display.
- On screen histogram and distribution charting.
- On screen SPC data.
- Metric or imperial units.
- Three of five way sorting.
- CNC pitch adjustment interface available for CNC coiler.
- Pitch control motor available for conventional machines.
- Bad spring shut down facility.

## STANDARD ACCESSORIES

PROBE
PROBE TIP (3 PCS)
PROBE HOLDER
READ SENSOR ASSEMBLY
3 WAY SORTER
PITCH CONTROL MOTOR ASSEMBLY
CNC COILER PITCH ADJUSTED PORT
BAD SPRING SHUT DOWN PORT

## OPTIONAL ACCESSORIES

5 WAY SORTER
3 WAY LARGE SORTER
PRINTER INTERFACE
PRINTER

# SLG10 Spring Length Gage




3 WAY LARGE  
(OPTIONAL)




3 WAY  
(STANDARD)



5 WAY  
(OPTIONAL)



NONE CONTACT PROBE



RETRACTABLE PROBE AVAILABLE  
FOR LARGE SPRING (OPTIONAL)

## SPECIFICATION

Accuracy	0.005mm
Minimum Setting	±0.01mm
LCD Screen	128x72mm
Measuring Speed	600 pcs./minute
Power Supply	AC 115V or AC 230V ±10%, 1 PHASE
Power Capacity	100W
Dimension (LxWxH)	37x20x30cm



PROBE & MOTOR ASSEMBLY  
(STANDARD)