



Forming Systems, Inc.
P.O. Box 694
Schoolcraft, MI 49087 USA

Phone: 877-727- FORM (3676)
269-679-3557 (International)
Fax: 269-679-3567
Email: info@formingsystemsinc.com



Spiral Type Electric Furnaces for stress relieving of spring products

HF10 / HF20

HF10



HF20


FEATURES

- Compact size
- High efficiency pipe heater
- Stainless steel vibratory spiral chute
- Max. temp. of 500°C (930°F)
- P.I.D. temperature control

BENEFIT

- Saves valuable floor space
- Provides economical operation
- Offers quiet & smooth operation
- Handles a wide variety of material
- Insures uniform & accurate temperature

Spiral Type Electric Furnaces for stress relieving of spring products



	A	B	C
HF 10	765mm	350mm	215mm
HF 20	850mm	450mm	260mm

SPECIFICATION

MODEL	MAX. TEMPERATURE	POWER CAPACITY	SPIRAL CHUTE LENGTH	REFERENCE MAX SPRING DIMENSION	DIMENSION (LxWxH)	WEIGHT
HF 10	500°C (930°F)	1.75 KW	3.5METER (11'3")	WIRE DIA. 1.2mm (.047") OUTSIDE DIA. 20mm (.787") FREE LENGTH 50mm (1.969")	450x400x750mm (18"x16"x30")	30KGS (70LBS)
HF 20	500°C (930°F)	3 KW	4.7METER (15'5")	WIRE DIA. 2.0mm (.079") OUTSIDE DIA. 30mm (1.181") FREE LENGTH 60mm (2.362")	550x530x950mm (22"x21"x37")	70KGS (150LBS)